





LABdex



Classic Electronic Balance LX11CEB



Email: info@labdex.com **website:** www.labdex.com



Description

It is a high resolution table top unit designed with superior precision load cell sensor for accurate weighing and stability. Equipped with an LCD display for visual monitoring of the measured weight and operational buttons for manual operations. It has easy balance tare and quick stabilization providing reliable weight measurements and dynamic weighing with count, percentage and multiple unit conversion feature.

Specifications

Weighing capacity	100 g
Minimum weighing	1 mg
Pan size	80 mm
Operational temperature	10 °C - 30 °C
Calibration system	Externally calibrated weight
Interface	RS232
Display	LCD
Power	220 V / 110 V
Windshield dimensions	150 × 80 mm
Outer dimensions	300 × 190 × 250 mm
Packing dimensions	340 x 300 x 260 mm
Gross weight	4 kg

Features

- ˘ High-precision load cell sensor
- ˘ Dynamic weighing with count, percentage and multiple unit conversion feature
- ˘ Anti-corrosive stainless steel pan
- ˘ Fluctuation free readings
- ˘ External calibration function
- ˘ Rechargeable batteries

Applications

- ˘ Used for sample/standard preparation, formulation, differential weighing, density determination, interval weighing and pipette routine testing.



71-75 Shelton Street Covent Garden, London WC2H 9JQ UK.

Email: info@labdex.com | Website: www.labdex.com